


# Delock PCI Express x4 Card to 1 x external USB 10 Gbps Type-C™ female + 1 x external USB 10 Gbps Type-A female - Low Profile Form Factor

## Description

This PCI Express card by Delock expands the PC by **two external USB 10 Gbps ports**. Different USB devices, such as docking stations, card readers, external enclosures etc., can be connected to the card. The card allows a data transfer rate of 10 Gbps on both ports when used simultaneously.



**Item no. 90107**

EAN: 4043619901074

Country of origin: China

Package: Box

## Specification

- Connectors:
  - external:
    - 1 x USB 10 Gbps USB Type-C™ female
    - 1 x USB 10 Gbps Type-A female
  - internal:
    - 1 x SATA 15 pin power connector
    - 1 x PCI Express x4, V3.0
- Chipset: Asmedia ASM3142
- Data transfer rate up to 10 Gbps
- Power supply via PCI Express interface or via SATA 15 pin power connector
- Electrical power per port:
  - USB Type-C™: max. 12 watt (5 V / 2.4 A)
  - USB Type-A: max. 4.5 watt (5 V / 0.9 A)
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Supports Multiple INs
- Bootable

---

## System requirements

- Linux Kernel 5.15 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

---

## Package content

- PCI Express card USB 10 Gbps
- Low profile bracket
- User manual

---

## Images



## General

Form factor:	Low Profile
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11 Linux Kernel 5.15 or above

## Interface

External:	1 x USB 10 Gbps USB Type-C™ female 1 x USB 10 Gbps Type-A female
Internal:	1 x PCI Express x4, V3.0 1 x SATA 15 pin power connector

## Technical characteristics

Chipset:	Asmedia ASM3142
Data transfer rate:	10 Gbps

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------