


# Delock USB 3.0 PCI Express x1 Card with 4 x external Type-A female

## Description

The PCI Express card by Delock expands a PC by four external USB 3.0 ports. Different USB devices, such as docking stations, card readers, external enclosures etc., can be connected to the card.

### Delock USB 3.0 PCIe Card with Mac support

The card does not need an additional power supply and is therefore suitable for Mac too. The power is supplied exclusively via the PCI Express interface by 5 watt per port.



**Item no. 90304**

EAN: 4043619903047

Country of origin: China

Package: Box

## Specification

- Connectors:  
external:  
4 x USB 3.0 Type-A female  
internal:  
1 x PCI Express x1, V2.0
- Chipset: Fresco Logic FL1100
- Data transfer rate up to:  
SuperSpeed 5 Gbps,  
Hi-Speed 480 Mbps,  
Full-Speed 12 Mbps,  
Low-Speed 1.5 Mbps
- Electrical power per port: max. 5 watt (5 V / 1 A)

## System requirements

- Linux Kernel 4.9.4 or above
- Mac OS 10.9 or above

- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC with one free PCI Express slot

---

## Package content

- PCI Express card USB 3.0
- Low profile bracket
- Driver CD
- User manual

---

## Images



## General

Supported operating system:	Linux Kernel 4.9.4 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
-----------------------------	---

## Interface

External:	4 x USB 5 Gbps Type-A female
Internal:	1 x PCI Express x1, V2.0

## Technical characteristics

Chipset:	Fresco Logic FL1100
----------	---------------------

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------