

# Delock Charging Station for Ring Scanner 90607

## Description

This charging station by Delock is suitable for simultaneously charging two ring scanners via inductive charging.

## Note

- Power supply via USB Type-C™ (power supply unit and cable not included, cable can be used by the scanner)



**Item no. 90608**

EAN: 4043619906086

Country of origin: China

Package: Box

## Specification

- Connector: 1 x USB Type-C™ female
- Input voltage: 5 V
- Charging power: max. 5 W
- Frequency range: 100 - 200 kHz
- Transmission power: max. 5 W
- 2 x LED for power
- Anti-Slip base
- Average active efficiency 50.00 %
- Efficiency at low load (10 %) 40.00 %
- No-load power consumption 0.15 W
- Operating temperature: -15 °C ~ 50 °C
- Storage temperature: - 10 °C ~ 40° C
- Relative humidity: 0 - 62 % (non condensing)
- Colour: black
- Weight: ca. 140 g
- Dimensions (LxWxH): ca. 115 x 68 x 22 mm

## System requirements

- Suitable Ring scanner 90607


---

## Package content

- Charging cradle
- User manual

---

## Images



## Interface

Connector 1:	1 x USB Type-C™ female
--------------	------------------------

## Technical characteristics

Frequency range:	100 - 200 kHz
------------------	---------------

## Physical characteristics

Weight:	140 g
Length:	115 mm
Width:	68 mm
Height:	22 mm
Colour:	black