

Delock Thunderbolt[™] 3 External Portable 480 GB SSD M.2 PCIe NVMe

Description

This portable SSD by Delock can be connected to a PC or laptop via Thunderbolt[™] 3 interface. Due to the small dimensions, the SSD is ideal as on the go companion. The high read and write speed supports fast data transfer even for big amount of data, which is particularly important in the photo and video range. The robust metal housing with cooling fins on the sides ensures an optimum temperature of the memory.

Delock Thunderbolt[™] 3 SSD (Video)



Item no. 54007

EAN: 4043619540075 Country of origin: Taiwan, Republic of China Package: Retail Box

Specification

- Connector: 1 x Thunderbolt[™] 3 USB Type-C[™] 24 pin male
- Capacity: 480 GB
- Interface: PCIe Rev. 3.0
- Maximum read speed: 2800 MB/s
- Maximum write speed: 2300 MB/s
- Power consumption: ca. 8 W
- MTBF: 2.000.000 hours
- Flash type: MLC
- Maximum write cycles: 3000
- Storage temperature: 5 °C ~ 35 °C
- Operating temperature: 5 °C ~ 35 °C
- 1 x LED indicator
- Thunderbolt[™] 3 bus powered
- Passive cooling of the memory by the metal housing with integrated cooling fins
- Dimensions (LxWxH): ca. 108 x 65 x 14 mm
- Cable length without connectors: ca. 16 cm
- Colour: silver
- Hot Plug, Plug & Play

DATASHEET



System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Linux Kernel 4.3.3 / Kernel 4.9.1, ex Mac OS 10.12
- PC or laptop with a free Thunderbolt[™] 3 port

Package content

- Thunderbolt[™] 3 SSD
- Velour bag
- User manual

Images





Interface

connector:	1 x Thunderbolt [™] 3 USB Type-C [™] 24 pin male

Technical characteristics

Storage temperature:	5 °C ~ 35 °C
Read:	2800 MB/s
Maximum power consumption:	6 W
MTBF:	2.000.000 hours
Interface:	PCI Express
Write:	2300 MB/s
Capacity:	480 GB

Physical characteristics

Length:	108 mm
Width:	65 mm
Height:	14 mm