


# Delock M12 Adapter Cable A-coded 8 pin male to RJ45 male 50 cm

## Description

This industrial Ethernet cable by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



0,5 m

**Item no. 60075**

EAN: 4043619600755

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x M12 plug 8 pin A-coded
  - 1 x RJ45 plug
- Cat.6A specification
- S/FTP
- Cable gauge: 26 AWG
- Material:
  - M12 connector: TPU
  - RJ45 connector: PVC
  - Cable jacket: PU
- Cable diameter: ca. 6.2 mm
- Operating voltage: max. 30 V
- Current: max. 2 A
- Operating temperature: -25 °C ~ 80 °C
- Protection class: IP67 (M12)
- Colour: black
- Length: ca. 50 cm

---

## System requirements

- A free M12 female port
- A free RJ45 jack


---

## Package content

- Adapter cable

---

## Images



## General

|                |         |
|----------------|---------|
| Specification: | Cat. 6A |
|----------------|---------|

## Interface

|              |                            |
|--------------|----------------------------|
| Connector 1: | 1 x M12 male A-coded 8 pin |
| Connector 2: | 1 x RJ45 male              |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating temperature: | -25 °C ~ 80 °C |
|------------------------|----------------|

## Physical characteristics

|                  |        |
|------------------|--------|
| Conductor gauge: | 26 AWG |
| Shielding:       | S/FTP  |
| Length:          | 0.5 m  |
| Colour:          | black  |
| Cable diameter:  | 6.2 mm |