



Delock USB Type-C[™] Charger PD 85 W + Qualcomm Quick Charge 3.0 for table mounting

Description

This **USB Power Delivery (PD)** charger by Delock can be used to charge laptops with USB Type-CTM connector. It provides various voltages from 5 V to 20 V and power up to 85 Watt. In addition, 2 USB Type-A connectors with Qualcomm Quick Charge 3.0 charging technology are available for smartphones.



Qualcomm Quick Charge 3.0

The charger supports fast charging of up to 18 W with appropriately equipped smartphones.

Designed for table mounting

The charger can be inserted into an existing recess of the desk. This is a practical and space-saving solution and allows to easily charge mobile devices.

Item no. 64065

EAN: 4043619640652 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ female
 - 2 x USB Type-A female
 - 1 x DC 24 V power connector
- Output:

USB Type-C™ Power Delivery (PD): 5 V

5 V / 9 V / 12 V / 15 V / 20 V 4.3 A

USB Type-A Qualcomm Quick Charge 3.0 Class A:

 $3.6 \sim 6.5 \text{ V} / 3 \text{ A}, 9 \text{ V} / 2 \text{ A}, 12 \text{ V} / 1,5 \text{ A}$

- Output power: max. 87 W total
- Mounting diameter: 60 mm / 80 mm
- Mounting depth: 25 mm
- · Material: plastic
- · Colour: white
- Dimensions: diameter ca. 9.0 cm, height ca. 2.5 cm



Power supply specification

- Power supply with IEC-60320-C8 connector
- · Wallmount option
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 2.0 A
- Output: DC 24 V / 3.74 A
 USB Type-A Qualcomm Quick Charge 3.0 Class A:
 3.6 ~ 6.5 V / 2.4 A, 9 V / 2 A, 12 V / 1.5 A
- Ground outside, plus inside
- Dimensions:

inside: ø ca. 2.1 mm outside: ø ca. 5.5 mm length: ca. 11 mm

System requirements

• Device with a free USB port

Package content

- USB charger for table mounting
- Adapter from 80 mm to 60 mm
- Power supply
- Power cord, length ca. 1.5 m
- Screws
- User manual



Images















General

Mounting type:	in-desk
Specification:	USB Power Delivery 2.0

Interface

connector:	1 x USB Type-C™ female
	2 x USB Type-A female

Physical characteristics

Diameter:	90.0 mm
Height:	25 mm