


# Delock Terminal block with push button for PCB 4 pin 5.08 mm pitch vertical 4 pieces

## Description

This terminal block by Delock is suitable for the solder mounting on a PCB. Furthermore, data or power cables can be connected via the terminal block.



4 x

**Item no. 66270**

EAN: 4043619662708

Country of origin: China

Package: Zip poly bag


## Specification

- Connectors:
  - 1 x 4 pin terminal block with push button
  - 2 x 4 soldering pin
- Pitch: 5.08 mm
- Environmental temperature: -40 °C ~ 105 °C
- Useable for a cable gauge from 22 to 16 AWG
- Withstanding voltage: AC 1600 V / 1 minute
- Rated voltage according to: UL: 300 V, IEC: 250 V
- Rated current according to: UL: 10 A, IEC: 15 A
- Material: plastic
- Colour: green / orange
- Dimensions (LxWxH): ca. 22.9 x 14.0 x 10.2 mm

## Package content

- 4 x Terminal block

## Images



## General

|                               |             |
|-------------------------------|-------------|
| Suitable for conductor gauge: | 22 - 16 AWG |
|-------------------------------|-------------|

## Interface

|              |                                           |
|--------------|-------------------------------------------|
| Connector 1: | 1 x 4 pin terminal block with push button |
| Connector 2: | 2 x 4 soldering pin                       |

## Technical characteristics

|                      |                 |
|----------------------|-----------------|
| Storage temperature: | -40 °C ~ 105 °C |
|----------------------|-----------------|

## Physical characteristics

|                   |                |
|-------------------|----------------|
| Pitch distance:   | 5.08 mm        |
| Housing material: | Plastic        |
| Length:           | 22.9 mm        |
| Width:            | 14.0 mm        |
| Height:           | 10.2 mm        |
| Colour:           | green / orange |